

VALUELAM 4500



The **ValueLam 4500 Laminating/Mounting machine** is the ideal value-priced laminator for large-format imaging services. The ValueLam 4500 is capable of mounting, laminating, and encapsulating output from 36", 42" and 44" inkjet printers. Affordable and functional, the ValueLam 4500 is loaded with features important in giving you the highest level of results for each and every project.

FEATURES

The **ValueLam 4500 Laminating/Mounting machine** offers carefully designed features intended to quickly get you up and profitably running without the added expense of more advanced machines. The easy-to-use design makes the operator's job simpler with features such as:

- Top and bottom heat
- Electronic heat control with LCD readout
- Variable speed
- Forward/reverse switch
- 3" (7.62cm) diameter silicone heated rollers
- Clear polycarbonate safety shield
- Emergency stops on both sides
- Mounting capability up to 1/4" (6.4mm)

ValueLam 4500 Laminating/Mounting machine

(BA-VL45)



Plastic Width Capacity	45" (114.3cm)
Speed	0-5' per/minute (2.92cm/sec)
Laminating Rollers	3" (7.62cm) diameter - heated
Film Supply Core Size	3" (7.62cm)
Maximum Film Roll Diameter	8.5" (21.59cm)
Machine Dimensions	57"L x 27"H x 24.5"D (145 x 69 x 62cm)
Shipping Dimensions	67"L x 40"H x 38"D (170 x 102 x 97cm)
Net Weight	183 lbs. (83kg)
Shipping Weight	323 lbs. (147kg)
Heater Wattage	2400 watts
Power Requirements	20 amps, 120 VAC, 60Hz

ValueLam 4500 is available in 220 volt

